

Tray Program

Sustainable, high quality thermoformed plastic packaging





Berry Superfos Packaging Solutions, a Berry Global company, offers a complete system of plastic trays, sealing machines and sealing films to provide advanced packaging solutions for the food processing industry and the retail sector.

Long shelf-life, food protection and preservation, and effective portion control are important sustainability benefits in the drive to reduce food waste. Our HDPE trays are available in over 200 sizes (from 120ml to 24.4 litres) with temperature resistance from -50° to +121°C. Each of our trays is microwavable, and suitable for MAP (modified atmosphere packaging), skin-pack, sterilisation, pasteurisation, cooling and deep freezing.












Equally important, our light weight, yet durable trays will present your products to their best advantage on-shelf. And their natural colour makes the trays easier to recycle.

To accompany this extensive tray range, Berry Superfos Packaging Solutions supplies a wide choice of sealing machines, from small hand-operated manual models to fully automated high-speed vacuum/gas sealing systems for MAP packing. We also offer skin-pack tray and machine solutions. Alongside these, general purpose sealing films, peel-off, anti-fog and skin-pack varieties complete our product range.













With the availability of trays, films and sealing machines from a single supplier, it is easy to select the perfect pack solution for your product. Take advantage of our extensive knowledge within food technology and our dedicated and experienced service team.




















All products in our standard tray program are usually on stock, or available on short notice.
 Special trays requires minimum quantities. All measures have tolerances. Details are given in tray specifications.
 1 = Lids available 2 = Not sealable 3 = Stacking knobs 4 = Special sealing tool needed 5 = Light weight

Tray Forms	Group No	Article No	Length mm	Width mm	Depth mm	Volume ml	Standard colours	Program	Quantity/ carton
	1	561 ¹	93	93	22	120	White	Special	1600
		560 ¹	93	93	24	125	White	Special	1600
		567 ¹	93	93	28	150	White	Special	1200
		564 ¹	93	93	38	210	Natural	Special	800
		864 ¹	93	93	38	210	White	Special	800
		562 ¹	93	93	53	280	White	Special	800
	2	605	145	133	52	410	Black	Special	504
	3	514 ¹	145	107	18	185	Natural	Standard	1080
		522 ¹	145	107	23	265	Natural	Standard	1200
		505 ¹	145	107	34	350	Natural	Standard	1050
		523 ^{1/3}	145	107	38	410	Natural	Special	840
		512 ^{1/3}	145	107	41	425	Natural/Black	Standard	900
		521 ¹	145	107	45	470	Natural	Standard	840
		513 ¹	145	107	52	550	Natural/Black	Standard	900
		595 ^{1/3}	145	107	55	590	Natural	Standard	636
	4	543 ^{1/3}	164	123	18	180	White	Standard	1020
		530 ^{1/3}	164	123	25	375	Natural/Black	Standard	1000
		570 ^{1/3}	164	123	30	440	Natural	Special	900
		583 ^{1/3}	164	123	34	460	Black	Special	690
		503 ^{1/3}	164	123	35	500	Natural/Black	Standard	900
		565 ¹	164	123	41	610	Natural/White/Black	Standard	720
		318 ³	164	123	45	630	Blue	Special	750
		557 ¹	164	123	52	750	Natural/Black	Standard	600
		320 ³	164	123	60	800	Blue	Special	720
		519 ^{1/3}	164	123	60	870	Natural	Standard	540
		509 ¹	164	123	72	1000	Natural/White	Standard	360
		690 ¹	164	123	90	1290	Natural	Standard	180
				531 ¹	164	123	41	530	Black
	5	584	202	107	32	400	White	Special	640
		504	202	107	33	500	Natural	Standard	930
		515 ³	202	107	45	700	Natural	Standard	660
		510 ³	202	107	57	850	Natural	Special	600
	6	527 ^{1/3}	208	146	15	335	Natural/Black	Standard	680
		528 ^{1/3}	208	146	25	600	Natural/Black	Standard	520
		520 ^{1/3}	208	146	32	700	Natural/White/Black	Standard	600
		516 ^{1/3}	208	146	40	850	Natural/Black	Standard	500
		526 ^{1/3}	208	146	46	1000	Natural/Black	Standard	480
		518 ^{1/3}	208	146	50	1100	Natural/Black	Standard	400
		538 ^{1/3}	208	146	56	1250	Natural/Black	Standard	400/500 ⁵
		330 ^{1/3}	208	146	60	1300	Black	Special	520
		331 ^{1/3}	208	146	60	1300	Black	Special	400
		539 ^{1/3/5}	208	146	65	1450	Natural	Standard	460
		517 ^{1/3}	208	146	72	1500	Natural/Black	Standard	380
		563 ¹	208	146	90	1800	Black	Standard	350
	7	591 ¹	221	152	57	1350	Black	Standard	129
		675 ¹	221	152	83	1800	Natural	Special	275
		593 ¹	221	152	93	2150	Natural	Special	220
	8a	578 ¹	224	174	17	510	Black	Special	520
		533 ¹	224	174	30	950	Black	Standard	440
	8b	534 ¹	224	174	30	850	Black	Special	440
		636 ¹	224	174	40	1060	White	Special	400














All products in our standard tray program are usually on stock, or available on short notice.
 Special trays requires minimum quantities. All measures have tolerances. Details are given in tray specifications.
 1 = Lids available 2 = Not sealable 3 = Stacking knobs 4 = Special sealing tool needed 5 = Light weight

Tray Forms	Group No	Article No	Length mm	Width mm	Depth mm	Volume ml	Standard colours	Program	Quantity/ carton
	8c	535 ¹	224	174	30	710	White Black	Special	500
		637 ¹	224	174	40	970		Standard	380
	9a	502	250	250	35	1750	White Natural Natural	Special	184
		500	250	250	40	2000		Special	176
		501	250	250	50	2500		Standard	150
	9b	508	250	250	70	3250	Natural/White	Special	120
	9c	507	250	250	23	850	Natural Natural	Special	230
		506	250	250	28	1000		Special	200
	10a	545	264	165	30	1100	Natural Natural Natural Natural	Special	400
		546	264	165	30	950		Special	280
		547	264	165	30	895		Special	280
		548	264	165	30	840		Special	280
	10b	553	264	165	20	650	Natural Black Black Natural/Black ⁵ Black Black Natural Black Black	Special	350
		651	264	165	30	1015		Standard	340/400 ⁵
		655 ³	264	165	40	1300		Standard	200
		551 ³	264	165	45	1450		Standard	200 ⁵
		652	264	165	54	1700		Special	175
		552 ³	264	165	54	1700		Standard	200
		549 ³	264	165	61	2000		Standard	200
		544 ³	264	165	75	2350		Special	132
550 ³	264	165	85	2650	Standard	140			
	11	683 ¹	320	245	35	2000	Natural/Black Natural/Black Natural Natural Natural/Black Natural Black Natural/Black Natural Natural/Black Natural Natural Natural	Standard	250
		597 ¹	320	245	50	2850		Standard	165
		597 ^{1/3}	320	245	50	2900		Standard	720
		685 ¹	320	245	56	3000		Special	150
		596 ¹	320	245	60	3600		Standard	135/1530 ⁵
		596 ^{1/3}	320	245	60	3600		Standard	702
		472 ^{1/3}	320	245	72	4200		Special	666
		573 ¹	320	245	80	4700		Standard	111/1080
		573 ^{1/3}	320	245	80	4700		Standard	630
		559 ¹	320	245	92	5400		Standard	111
		559 ^{1/3}	320	245	92	5300		Special	63
		554 ¹	320	245	115	6500		Standard	102
		574 ¹	320	245	132	7400		Standard	90
		574 ^{1/3}	320	245	132	7400		Standard	540
	11	797 ¹	320	245	50	2800	Natural Natural Natural	Special	150
		796 ¹	320	245	60	3500		Special	120
		759 ¹	320	245	92	5250		Special	120
	11	897 ^{1/3}	320	245	50	2700	Natural Natural Natural Natural	Special	75
		896 ^{1/3}	320	245	60	3300		Special	70
		859 ^{1/3}	320	245	92	5200		Special	65
		874 ^{1/3}	320	245	132	7400		Special	54
	11	486 ¹	320	245	85	4850	Natural	Special	110
LID	959						Natural	Standard	75
	12	654	420	245	50	3900	Natural Natural Natural Natural Natural	Special	135
		555	420	245	70	5490		Standard	120
		555 ³	420	245	70	5490		Special	90
		558	420	245	100	7700		Standard	90
		556 ³	420	245	130	10000		Standard	69/72 ⁵
	13a	537	ø202		35	750	White Natural	Special	275
		529	ø202		75	1500		Special	260

All products in our standard tray program are usually on stock, or available on short notice.
 Special trays requires minimum quantities. All measures have tolerances. Details are given in tray specifications.
 1 = Lids available 2 = Not sealable 3 = Stacking knobs 4 = Special sealing tool needed 5 = Light weight

Tray Forms	Group No	Article No	Length mm	Width mm	Depth mm	Volume ml	Standard colours	Program	Quantity/ carton
	13b	536	ø202		47	750	Natural	Special	350
		524	ø202		58	1000	Natural	Special	500
		566	ø202		70	1250	Natural	Special	250
	14	680	ø125		31	240	White	Special	960
		590	ø125		70	400	White	Special	840
		681	ø125		78	515	White	Special	800
	15a	599	ø162		86	800	White	Special	420
	15b	598	ø162		50	500	Natural	Special	800
		600	ø162		75	780	White	Special	500
	16a	734	215	165	30	690	White	Special	500
	16b	735	215	165	30	630	White	Special	500
	16c	733 ³	215	165	30	800	Black	Special	220
	17	610	217	165	36	920	White	Special	400
		612	217	165	45	1200	White	Special	400
		614	217	165	57	1475	White	Special	350
	18	615	165	130	36	500	White	Special	1000
		617	165	130	45	650	White	Special	900
	19	618 ¹	317	247	52	2950	Natural	Special	1160
		620 ¹	317	247	52	5000	Natural	Special	75
		718 ¹	317	247	90	2600	Natural	Special	1305
	20	592	271	187	55	1900	Natural	Special	280
	21	568 ^{2/4}	ø247		34	495	Natural	Special	460
		569	ø247		23	850	White	Special	700
		669	ø247		23	810	White	Special	400
	22	511 ³	255	110	60	1100	Natural	Standard	464
	23	625	304	118	46	1200	Natural	Standard	90
		626	304	118	89	2250	Natural	Special	90
		627	304	118	119	2800	Natural	Special	80
	24	632	350	270	45	3150	White	Standard	105/2145 ⁵
		833	350	270	61	4500	Natural	Special	1920 ⁵
		633	350	270	65	4500	White	Standard	120
		631	350	270	85	6000	White	Standard	1680
		635	350	270	110	8000	White	Standard	70
		835 ⁵	350	270	110	7700	Blue	Special	1320
		634	350	270	130	9350	White	Standard	62
		434	350	270	130	9000	White	Special	90
		333	350	270	100	6300	Natural	Special	1260
334	350	270	132	8100	Natural	Special	80		
	25	630	364	250	90	6300	Natural	Special	100
	26	581	218	118	20	290	Black	Special	420
		678 ³	218	118	23	460	Natural	Special	595
		684	218	118	26	500	Natural	Special	700
		580	218	118	35	650	Natural	Special	560
		682	218	118	38	730	Natural	Special	490












All products in our standard tray program are usually on stock, or available on short notice.
 Special trays requires minimum quantities. All measures have tolerances. Details are given in tray specifications.
 1 = Lids available 2 = Not sealable 3 = Stacking knobs 4 = Special sealing tool needed 5 = Light weight

Tray Forms	Group No	Article No	Length mm	Width mm	Depth mm	Volume ml	Standard colours	Program	Quantity/ carton
	27a	643 ¹	ø94		36	145	White	Special	1300
		843 ^{1/4}	ø94		36	145	White	Special	1300
		542 ¹	ø94		57	190	White	Special	1275
		742 ¹	ø94		67	240	White	Special	720
		842 ¹	ø94		57	190	White	Special	1200
	27b	644 ¹	ø94		30	135	Natural	Special	1400
		541 ¹	ø94		36	155	Natural	Standard	1219
		645 ¹	ø94		46	180	Natural	Special	1541
		540 ¹	ø94		57	210	Natural	Standard	1200
	28	579	305	144	32	1000	Black	Special	240
		576	305	144	50	1700	Blue	Special	220
		571	305	144	70	2400	Natural	Special	220
		577 ⁴	305	144	76	2000	Natural	Special	140
		575	305	144	90	3000	Natural	Special	100
	29	585	200	70	46	400	Natural	Special	800
	30	710 ³	244	174	32	700	Black	Special	400
		711 ³	244	174	31	620	Black	Special	400
		712	244	174	31	590	Black	Special	400
	31	703 ^{1/4}	185	185	82	2000	Natural	Special	240
		704 ^{1/3}	185	185	96	2400	Natural	Special	160
	LID	903					Natural	Special	320
	32	673	360	120	45	1400	Natural	Standard	240
		572	360	120	98	3000	Natural	Special	152
	33	582	420	110	80	2800	Natural	Special	180
	34	588 ¹	380	280	50	4000	Natural	Standard	160
		608 ^{1/3}	380	280	75	6000	Natural	Standard	624
		808 ^{1/3}	380	280	75	6100	Natural	Standard	600
		586 ¹	380	280	100	8000	Natural	Standard	100/840
		587 ^{1/3}	380	280	130	10600	Natural	Standard	64/540
		594 ^{1/3}	380	280	140	11200	Natural	Special	70/600
		686 ^{1/3}	380	280	100	7900	Natural	Standard	588
		386 ^{1/3}	380	280	100	8000	Natural	Standard	756
		687 ^{1/3}	380	280	130	10300	Natural	Standard	528
		688 ^{1/3}	380	280	140	11000	Natural	Special	600
		689 ³	380	280	130	10300	Blue	Standard	528
		691 ^{1/3}	380	280	140	11450	Natural	Standard	540
	786 ¹	380	280	100	7000	Natural	Special	111	
		880 ¹	380	280	40	3000	Natural	Special	2220 ⁵
		882 ¹	380	280	50	3600	Natural	Standard	1800 ⁵
		884 ¹	380	280	75	5500	Natural	Standard	1500 ⁵
		886 ¹	380	280	100	7500	Natural	Standard	1200 ⁵
		888 ¹	380	280	120	8700	Natural	Special	840
	35	628	99	85	31	125	Cream	Special	1050
	36	706	222	159	86	2000	White	Special	1565
	37	715	254	230	54	2180	White	Special	220

All products in our standard tray program are usually on stock, or available on short notice.
 Special trays requires minimum quantities. All measures have tolerances. Details are given in tray specifications.
 1 = Lids available 2 = Not sealable 3 = Stacking knobs 4 = Special sealing tool needed 5 = Light weight

Tray Forms	Group No	Article No	Length mm	Width mm	Depth mm	Volume ml	Standard colours	Program	Quantity/ carton
	38	647	185	134	28	380	Black	Special	800
		648	185	134	35	625	Black	Special	595
		649	185	134	35	500	Black	Special	595
		646 ³	185	134	40	750	Natural	Special	469
		650	185	134	45	800	Natural	Special	525
	39	653	280	190	100	3550	Natural	Special	120
	40	640	255	180	34	1160	White	Standard	400
		641 ³	255	180	34	1130	Black	Special	400
	41	658	206	134	52	800	Natural	Special	480
		659	206	134	80	1500	White	Special	360
	42	660	118	69	26	125	White	Special	1700
	43	665 ³	180	168	50	1040	Natural	Special	340
		666 ³	180	168	75	1560	Natural	Special	280
	44	720 ³	195	145	51	970	White	Special	300
	45	725 ³	172	137	32	500	Black	Special	560
	46	740	134	100	30	240	White	Special	1125
	47	785 ³	163	123	34	350	Black	Special	540
	48	695	224	174	31	610	Black	Special	400
		697	224	174	59	1135	Black	Special	200
		699 ³	223	174	80	1500	Beige	Special	148
	49	790 ³	225	160	34	765	Black	Special	360
	50	204 ³	590	390	80	15400	Natural	Special	280
		201 ³	590	390	100	18000	Natural	Special	272
		202 ³	590	390	115	21000	Natural	Standard	272
		200 ³	590	390	132	24400	Green	Special	280
		203 ³	590	390	132	23200	Natural	Special	272
		205 ³	590	390	66	11000	Natural	Standard	288
		206 ³	590	390	132	23000	Natural	Standard	264
	51	425 ³	234	154	40	1000	Black	Special	260
	52	868 ³	280	180	25	1100	Natural	Special	1680
		870 ³	280	180	51	1800	Blue/Natural/Black/Green	Standard	1632
		875 ³	280	180	69	2300	Blue	Special	1680
		876 ³	280	180	85	3000	Black	Special	1584
		878 ³	280	180	106	3500	Blue	Standard	1512
	53	830 ³	239	138	38	930	Natural	Special	500
		832 ³	239	138	60	1430	Natural	Special	460
	54	670 ³	170	170	39	750	Black	Special	450
		671 ³	170	170	52	1000	Black	Special	420
	55	405 ³	134	134	52	385	Natural	Special	6048

All products in our standard tray program are usually on stock, or available on short notice.
 Special trays requires minimum quantities. All measures have tolerances. Details are given in tray specifications.
 1 = Lids available 2 = Not sealable 3 = Stacking knobs 4 = Special sealing tool needed 5 = Light weight

Tray Forms	Group No	Article No	Length mm	Width mm	Depth mm	Volume ml	Standard colours	Program	Quantity/carton
	56	207 ³	530	325	78	11400	Natural	Standard	384
		209 ³	530	325	117	15400	Natural	Standard	360
		211 ³	530	325	130	17500	Natural	Standard	360
		213 ^{3/5}	530	325	130	17200	Blue	Special	360
	57	215	530	160	128	7750	Natural	Special	70
	58	430 ³	265	232	75	2155	Black	Special	164
		435 ³	265	232	90	2670	Black	Special	140
	59	442 ³	230	202	30	670	Black	Special	280
		445 ³	230	202	57	1300	Black	Special	260
	60	460 ³	242,5	172	15	500	Natural/Black	Standard	300
	61	447 ³	∅202		57	1270	Natural	Special	272
		448 ³	∅202		65	1450	Natural	Special	268
	62	465 ³	180	180	75	1680	Blue	Standard	320
	63	469 ³	121	131	49	260	Natural	Special	402
	64	473 ³	356	163	80	2750	Silver	Special	402
	65	476 ³	190	160	15	398	White	Special	360
		477 ³	190	160	19	385	White	Special	360
		479 ³	190	160	30	506	White	Special	360
		481 ³	190	160	43	704	White	Special	360
	66	490 ³	326,5	267	60	3870	Natural	Standard	1260
		494 ³	325,5	267	100	6205	Natural	Standard	1200

Subject to typographical errors and change in production and product program April 2022

 +44 1256 844700

 +33 3 4464 4114

 +49 4191 9567 161

 +358 2 489 555

 +34 937 297 245

Berry | Superfos
Packaging Solutions

Stadionveien 15, P.O. Box 1514 Lundsiden, N-4688 Kristiansand, Norway
 +47 38 14 40 00 | SuperfosKristiansand@berryglobal.com | superfos.com